

KRONES Vinetta

The labeller for the low output range



A small machine for big demands

Quality matters more to you than mass? You want to leave speed records to others while you set a high value on solid work, reliability and precision? Then the Vinetta is exactly what you need. This labelling machine was specially designed as an affordable basic model for the low output range. At the same time, it represents every aspect of KRONES: Technology and service of a market leader, elaborated details and first class workmanship. So, for example, you will encounter various high-end components in the Vinetta labelling station. Decades of experience with labellers have taught us one thing: There is space for quality even in a small machine.



Design features

- Rotary machine with compact dimensions
- The magazine can hold 5,000 labels, allowing convenient production times.
- A 600-mm long infeed worm facilitates smooth bottle entry.
- The heatable glue pump KRONES Unipump-H ensures uniform and economic glue consumption.
- Handling parts with replaceable wear strips ensure a long lifetime and compensate diameter tolerances.
- Broken container detection system

Additional equipment


- Rolling-on unit for back labels on special-shaped containers
- Cold-glue labelling station for back, neck-ring, wrap-around or swing stopper labels
- Processing of wine seals, diagonal strips or medallions
- Labelling station for pressure-sensitive labels
- Sensor for fill level, label or closure inspection

Applications

- Basic version: Labelling of glass and PET containers with body and shoulder labels
- Equipped with additional labelling stations, the machine is also suitable for pressure-sensitive labels and special dress

Output

Up to 8,000 bottles per hour



*Precise labelling in the smallest space:
The "small" Vinetta requires little
space and provides excellent results.*

KRONES Vinetta

Your benefits

■ Professional technology at a reasonable price

The Vinetta represents decades of KRONES experience in the construction of labellers. As this machine has been specially designed for the low output range, it stands out by low investment costs as well as low operating expenses.

■ Long service life

While designing the machine, we made full use of our experience from the high-end sector. Field-proven components such as the KRONES cold-glue labelling station stand for reliability and long service life.

■ Precise labelling, low glue consumption

The Vinetta in its standard version is equipped with the heatable glue pump KRONES Uni-pump-H. It ensures an optimal processing temperature and, at the same time, reduces glue consumption.



KRONES AG
Böhmerwaldstraße 5
93073 Neutraubling
Germany

Telephone: +49 9401 70-0
Telefax: +49 9401 70-2488
E-mail: info@krones.com
Internet: www.krones.com

 KRONES